

Invoergegevens voorgrondbelasting

Molenstraat 45 te Diessen

Resultaat cumulatieve geur belasting op receptorpunten, zoals berekend

ReceptID	X-coor	Y-coor	Geurnorm	Geurbelasting [OU/m3]
1	140595.0	386898.0	2.000	1.365
2	140584.0	386894.0	2.000	1.287
3	140578.0	386910.0	2.000	1.237
4	140587.0	386912.0	2.000	1.300
5	140582.0	386928.0	2.000	1.316
6	140573.0	386925.0	2.000	1.188

Bronbestand Molenstraat 45 te Diessen

IDNR	X_COORD	Y_COORD	ST- hoogte	GemGebH	ST-diam	ST- uittree	E- Vergund	E- maxVerg
1	140878	386758	6	6	0.5	4	13202	13202

Turkaaweg 4 te Diessen

Resultaat cumulatieve geur belasting op receptorpunten, zoals berekend

ReceptID	X-coor	Y-coor	Geurnorm	Geurlasting [OU/m3]
1	140595.0	386898.0	2.000	0.799
2	140584.0	386894.0	2.000	0.753
3	140578.0	386910.0	2.000	0.768
4	140587.0	386912.0	2.000	0.819
5	140582.0	386928.0	2.000	0.853
6	140573.0	386925.0	2.000	0.831

Bronbestand Turkaaweg 4 te Diessen

IDNR	X_COORD	Y_COORD	ST- hoogte	GemGebH	ST-diam	ST- uittree	E- Vergund	E- maxVerg
1	140810	387088	6	6	0.5	4	6752	6752

Tongerloseweg 2 te Diessen

Resultaat cumulatieve geur belasting op receptorpunten, zoals berekend

RecepID	X-coor	Y-coor	Geurnorm	Geurlasting [OU/m3]
1	140595.0	386898.0	2.000	1.992
2	140584.0	386894.0	2.000	1.945
3	140578.0	386910.0	2.000	1.731
4	140587.0	386912.0	2.000	1.788
5	140582.0	386928.0	2.000	1.577
6	140573.0	386925.0	2.000	1.509

Bronbestand Tongerloseweg 2 te Diessen

IDNR	X_COORD	Y_COORD	ST- hoogte	GemGebH	ST-diam	ST- uittree	E- Vergund	E- maxVerg
1	140603	386688	6	6	0.5	4	8832	8832